




GC304



glass fixing double connector
glass to glass, angle adjustable

Art No.	Rob
GC304/52.5	52.5mm
GC304/60	60mm
GC304/82	82mm
Gc304/103	103mm



Glass hole drill hole measures


ANGLE	LENGTH OF CONNECTING ROB IN MM			
	C			
	52.5	60	82	103
	A/B	A/B	A/B	A/B
90°	75.6	81	96.5	111.3
95°	60.2	65.3	80.5	94.5
100°	56.7	61.6	75.9	89.5
105°	53.4	58.2	72.1	85.3
110°	50.5	55.1	68.5	81.3
115°	47.8	51.8	65.3	77.7
120°	45.3	49.5	62.3	74.4
125°	42.8	47.1	59.5	71.4
130°	40.7	44.9	57	68.6
135°	38.7	42.8	54.7	66
180°	24.7	28.5	39.5	50

GC305



glass fixing connector
wall to glass, angle not adjustable

Art No.	Rob
GC305/52.5	52.5mm
GC305/60	60mm
GC305/82	82mm
Gc305/103	103mm





GC306



glass fixing connector

Art No.	Size
GC306/1	not adjustable, 6mm
GC306/2	adjustable 10.5-12.5mm
GC306/3	adjustable 12.5-14.5mm
GC306/4	adjustable 14-18mm
GC306/5	adjustable 18-22mm
GC306/6	adjustable 22-26mm



L031



fixing tooling, light duty

L032




fixing tooling, heavy duty

TR01/25



track roller, for glass door,
TR01/25 for 25mm bar




height adjustable +/-3mm

WB102



WB102/25, for 25mm bar
WB102/19, for 19mm bar
side bracket, fixing to wall,




13

TR01/19



track roller, for glass door,
TR01/19 for 19mm bar




height adjustable +/-3mm

WB103



roof support for single door , WB103/25 for 25mm bar
roof support for single door , WB103/19 for 19mm bar




14

WB101



WB101/25, for 25mm tube bar
WB101 /19, for 19mm tube bar


middle bracket, fixing to wall,




WB104



roof support for single door , WB104/25 for 25mm bar
roof support for single door , WB104/19 for 19mm bar




WB105




WB105/25 for 25mm bar
WB105/19 for 19mm bar
middle roof support, for double door

WB108




WB108/25 for 25mm bar
WB108/19 for 19mm bar
tube end bracket, to wall

WB106




WB106/25 for 25mm bar
WB106/19 for 19mm bar
side roof support, for double door

WB109




WB109/25 for 25mm bar
WB109/19 for 19mm bar
middle bracket, fixing to glass

WB107



WB107/25 for 25mm bar
WB107/19 for 19mm bar
tube end plug

WB110



WB110/25 for 25mm bar
WB110/19 for 19mm bar
side bracket, fixing to glass